# **SAFETY DATA SHEET**



# **FLUSHBRITE**

# **APPLIED PRODUCTS AUSTRALIA PTY LTD**

Catalogue number: **AP730** Version No: **1.4** Issue date: **19/01/2017** 

Safety Data Sheet according to WHS and ADG requirements

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

# **Product Identifier**

Product name	FLUSHBRITE
Synonyms	AP730
Other means of identification	Not Available

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Toilet bowl cleaner and sanitiser

#### Details of the manufacturer/importer

Registered company name	APPLIED PRODUCTS AUSTRALIA PTY LTD	
Address 11 Gamma Close, Beresfield 2322 NSW Australia  Telephone (02) 4966 5516		
		Fax
Website	www.actichem.com.au	
Email	info@actichem.com.au	

# Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	131126
Other emergency telephone numbers	Not Available

# **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

HAZARDOUS CHEMICAL. - DANGEROUS GOODS. According to the Model WHS Regulations and the ADG Code.

Poisons Schedule	5	
GHS Classification [1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2	
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI		

# Label elements

**GHS** label elements



# Hazard statement(s)

H315	Causes skin irritation
H319	Causes serious eye irritation

# Precautionary statement(s) Prevention

P280	Wear protective gloves and eye protection.
------	--

Product Code: AP730 Version No: 1.4

Print Date: 19/01/2017

# Precautionary statement(s) Response

P305+P351+P338+P337+P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice / attention.
P302+P352+P362+P332+P313	IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice / attention.

# Precautionary statement(s) Storage

Not applicable

# Precautionary statement(s) Disposal

Not applicable

# **SECTION 3 COMPOSITION / INFORMATION ONINGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
5329-14-6	<10	<u>sulfamic acid</u>
7664-38-2	<10	<u>phosphoric acid</u>
9016-45-9	<10	nonylphenol, ethoxylated

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water for 10-15 minutes. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	If fumes, aerosols or combustion products are inhaled remove from contaminated area.  Other measures are usually unnecessary.
Ingestion	Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# Extinguishing media

Extinguishing media	The product contains a substantial amount of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas
---------------------	--

# Special hazards arising from the substrate or mixture

Fire incompatibility	re incompatibility None known	
Advice for firefighters		
Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves in the event of a fire.  Prevent, by any means available, spillage from entering drains or water courses.  Use firefighting procedures suitable for surrounding area.  DO NOT approach containers suspected to be hot.  Cool fire exposed containers with water spray from a protected location.  If safe to do so, remove containers from path of fire.	
Flor/Fronts also Hanned	Non-combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas.	

#### Fire/Explosion Hazard

Heating may cause expansion or decomposition leading to violent rupture of containers.

May emit corrosive, poisonous fumes.

May emit acrid smoke.

Print Date: 19/01/2017

Product Code: AP730 FLUSHBRITE
Version No: 1.4

# SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Minor Spills	Flush away with copious amountsof water.
Major Spills	Prevent, by any means available, spillage from entering drains or water course.  Stop leak if safe to do so.  Absorb on sand, dirt, vermiculite or similar absorbent material. Place into labelled drums and dispose of according to local government regulations.  Immediately notify emergency services (Police or Fire Brigade) if the spill is too large for you to safely and effectively handle.
	Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 HANDLING ANDSTORAGE**

# Precautions for safe handling

Safe handling

Avoid all personal contact.

Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials.

When handling, **DO NOT** eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Other information

# Conditions for safe storage, including any incompatibilities

Suitable container	Polyethylene or polypropylene container.  Packing as recommended by manufacturer.  Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Reacts violently with chlorine, nitric acid, strong bases and oxidising agents

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# Control parameters

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

# INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	Phosphoric acid	Phosphoric acid	1 mg/m3	3 mg/m3	Not Available	Not Available

# EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sulfamic acid	sulfamic acid	9.5 mg/m3	100 mg/m3	630 mg/m3
phosphoric acid	phosphoric acid	Not Available	Not Available	Not Available
nonylphenol, ethoxylated	Glycols, polyethylene, mono(p-nonylphenol) ether	9.9 mg/m3	110 mg/m3	300 mg/m3

Ingredient	Original IDLH	Revised IDLH
sulfamic acid	Not Available	Not Available
phosphoric acid	10,000 mg/m3	1,000 mg/m3
nonylphenol, ethoxylated	Not Available	Not Available

# Exposure controls

Appropriate engineering controls	Maintain adequate ventilation at all times. In most circumstances natural ventilation systems are adequate.  If ventilation is poor, then the use of a local exhaust ventilation system is recommended.
Personal protection	
Eye and face protection	Safety glasses with side shields OR chemical goggles.  Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. Lens should be removed at the first signs of eye redness or irritation. Lens should be removed in a clean environment only after workers have washed hands thoroughly.
Skin protection	See Hand protection below
Hands/feet protection	Wear elbow length chemical protective gloves. Neoprene or butyl are recommended for this application.
Body protection	See Other protection below
Other protection	Barrier cream. Skin cleansing cream. Eye wash unit.
Thermal hazards	Not Available

Print Date: 19/01/2017

Product Code: AP730 Version No: 1.4

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information	on	hasic	nh	vsical	and	chemical	properties	
miormanon	vII	Dasic	PIII	yorcar	anu	Circillicai	properties	

Appearance Opaque slightly viscous blue liquid

Physical state	Liquid	Relative density (Water = 1)	1.04
Odour	Fruity cinnamon	Viscosity (cSt)	Not Available
Odour threshold	Not Available	Auto-ignition temperature(°C)	Not Available
pH (as supplied)	1.7	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Partition coefficientn- octanol / water	Not Available
Initial boiling pointand boiling range (°C)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Molecular weight (g/mol)	Not Available
Lower Explosive Limit(%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

Inhaled	Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident.
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs.

# **SECTION 12 ECOLOGICAL INFORMATION**

DO NOT discharge into sewer or waterways

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sulfamic acid	HIGH	HIGH
phosphoric acid	HIGH	HIGH
nonylphenol, ethoxylated	LOW	LOW

# Bio accumulative potential

Ingredient	Bioaccumulation
sulfamic acid	LOW (LogKOW = -4.3438)
phosphoric acid	LOW (LogKOW = -0.7699)
nonviohenal ethoxylated	LOW (BCE =16)

# Mobility in soil

Ingredient	Mobility
sulfamic acid	LOW (KOC = 6.124)
phosphoric acid	HIGH (KOC = 1)
nonylphenol, ethoxylated	LOW (KOC = 940)

Product Code: AP730 Version No: 1.4

Print Date: 19/01/2017

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / Packaging disposal

Recycle containers whenever possible

Product residues and containers should be disposed of in accordance with local government regulations.

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required



Marine Pollutant

HAZCHEM

Not Applicable

UN number	1760
Packing group	III
UN proper shippingname	CORROSIVE LIQUID N.O.S.
Environmental hazard	No relevant data

Transport hazard class(es)

Class 8 Sub risk Not Applicable

Special precautions for user

Special provisions 5L Limited quantity

# **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

# SULFAMIC ACID (5329-14-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists

Australia Inventory of Chemical Substances (AICS)

#### NONYLPHENOL, ETHOXYLATED (9016-45-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS Australia Inventory of Chemical Substances (AICS)

# PHOSPHORIC ACID (7664-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

#### **SECTION 16 OTHER INFORMATION**

# Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references. A list of reference resources used to assist the committee may be found at: www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### Definitions and abbreviations

PC-TWA; Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit International Agency for Research on Cancer IARC:

ACGIH: American Conference of Government Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

Immediate Danger to Life or Health Concentrations IDLH:

OSF: Odour Safety Factor NOAEL: No Observed Effects Level Threshold Limit Value TLV: Limit Of Detection LOD: OTV: Odour Threshold Value BCF: Bio Concentration Factors BEI: Biological Exposure Index

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

**End of SDS**